## **Pharmacotherapy Dosing Table for PTSD**

Therapeutic category	Initial dose	Dose range	
Antidepressants - Monotherapy			
paroxetine*	IR: 10-20 mg/day CR: 12.5 mg/day	20-50 mg/day 12.5-50 mg/day	
sertraline*	25-50 mg/day	50-200 mg/day	
venlafaxine+	IR: 25 mg bid-tid	75-375 mg divided bid-tid	
	XR: 37.5 mg/day	75-300 mg qd	
Other agents			
prazosin‡	1 mg qhs; titrate to clinical response	3-20 mg qhs	

<sup>\*</sup> FDA-indicated for PTSD

<sup>†</sup> May ↑ BP; caution advised if HTN

**<sup>‡</sup>** For tx of nightmares assoc w/ PTSD

Abbreviations: CR = controlled release; IR = immediate release; XR = extended release

Therapeutic category	Clinical considerations	
Antidepressants - <i>Monotherapy</i>		
paroxetine*	<ul> <li>Black box warning for ↑risk of suicidality if ≤24 yo; based on short-term studies of MDD &amp; other psych disorders</li> <li>Avoid abrupt d/c; withdrawal sx may occur, esp. w/ paroxetine</li> </ul>	
sertraline*	<ul> <li>&amp; venlafaxine</li> <li>Common adverse effects:         nausea, HA, diarrhea,         nervousness, sexual         dysfunction, dizziness</li> </ul>	
venlafaxine†	<ul> <li>Hyponatremia or SIADH may occur; risk ↑ if &gt;65 yo</li> <li>Serotonin syndrome may occur, esp. w/ concomitant meds that affect serotonin</li> </ul>	

## Other agents

## prazosin‡

- May cause syncope w/ sudden LOC; syncopal episodes usually occur w/in 30-90min of initial dose
- Adding diuretic, PDE5 inhibitor, or another antihypertensive agent may cause additive hypotensive effect

Abbreviations: LOC = loss of consciousness; MDD = major depressive d/o; PDE5 = phosphodiesterase-5; SIADH = syndrome of inappropriate antidiuretic hormone

Source: Management of Posttraumatic Stress Disorder and Acute Stress Disorder Work Group. *VA/DoD Clinical Practice Guideline for Management of Posttraumatic Stress Disorder and Acute Stress Disorder*. U.S. Department of Veterans Affairs and U.S. Department of Defense; June 2023. Accessed May 7, 2024. <a href="https://www.healthquality.va.gov/guidelines/MH/ptsd/VA-DoD-CPG-PTSD-Full-CPGAug242023.pdf">https://www.healthquality.va.gov/guidelines/MH/ptsd/VA-DoD-CPG-PTSD-Full-CPGAug242023.pdf</a>

<sup>\*</sup> FDA-indicated for PTSD

<sup>†</sup> May ↑ BP; caution advised if HTN

**<sup>‡</sup>** For tx of nightmares assoc w/ PTSD